


Technical Rider

Entry List

Patch	Instruments	Sources	Inserts	Feet
1	Kick	HF fourni	DL 241	
2	snare	HF fourni	DL 241	
3	Conga	HF fourni		
4	Quinto	HF fourni	DL 241	
5	Sousaphone	HF fourni	DL 241	
6	Guitare	e 906	DL 241	
7	Sax Soprano	HF fourni		
8	Trompet	HF fourni	DL 241	
9	Trombone	HF fourni	DPR 402	
10	Voice 1	BETA 58		Grand
11	Voix LEAD	BETA 58	DPR 402	Grand à embase ronde

Patch	Instruments	Sources	Inserts	Feet
12	Voix 2	BETA 58		Grand
13	M 2000 L			
14	M 2000 R			
15	D Two R			
16	D Two R			
	Talkback	SM 58 avec interrupteur		

Installation diagram



Returns 1 and 2 will imperatively sides , and HP surrélevés feet if necessary. Thank you predict 3 flys to elevate the guitareet souba amplifiers and the HF rack.

Governance / Broadcasts Sound :

- 1 analog console like Midas / Yamaha / Soundcraft (Minimum 16 in / 4 + 3 auxs post pre auxs if returns are managed in the frontage governed) . Accepted digital consoles . No Behringer , Presonus , Mackie (analog or digital) .
- 1 × 31-band EQ 2 (KlarkTeknik DN 360) on LR outputs.
- 2 compression channels (DBX 160) insert the LR outputs.
- 6 channels of compression / gate (Drawner DL 241) .
- 2 compression channels / Esser (BSS DPR 402).
- 1 TC Electronics M2000 (Plate + Hall) .
 - 1 TC Electronics D Two (Delay) . The authority is indoors (not entered) and must be centered with respect to the delivery system and possibly away from the walls and / or balconies.
 -
 -
 -

Broadcast room:

- 1 processe stereo system (L Acoustics / D & B) with subs, with a power adapted to the place, placed and oriented college to get a blanket and a homogenous sound level in any public space. Slurried reminders if necessary
-

Directed Distribution:

- 2 returns sides, HP feet if necessary (type 115 L XT Acoustics HiQ) - 2 back and foot bath (type L Acoustics HiQ 115 XT) 2 × 31-band EQs 2 (type KlarkTeknik DN 360) on 4 circuits returns.
-

Balance / Miscellaneous / Light

- Thank you to predict: • the implementation of returns on our arrival. • a time of 2 hours for unloading and balances. • a location near the concert venue and accommodation for a long 7m truck 2m wide / 2,80 m high. • 7 water bottles and towels on the stage during the concert. The implementation, selection of projectors (see stage plan) and light governed during the concert will be the responsibility of the organizer. Thank you to provide a 'room' lighting so that musicians on stage can even the public.

